
STEICO*multi nail*

Nail tight tape



Nail tight tape for additional sealing measure on counter battens

- Single-sided self-adhesive, excellent adhesive properties
- Resistant to ageing
- Easy handling
- High elasticity

Application area

- Additional sealing measure for screw or nail connections of the counter battens when using STEICO*multi UDB* or STEICO*safe* as underlayment

Technical data

Temperature resistance	–40 / +80 °C
Processing temperature	≥ +5 °C
Volume weight	~ 30 kg/m³
Lengthwise tensile strength	0,34 N/mm²
Transverse tensile strength	0,22 N/mm²
Lengthwise stretch at break	135 %
Transverse stretch at break	115 %
Material	Closed cell polyethylene

Forms of delivery

Length [mm]	Width [mm]	Number/pack. [pcs.]
30000	50	10
30000	80	6

Weight and packing

Thickness [mm]	Length [mm]	Width [mm]	Weight/m²[kg]	Weight/pcs. [kg]	Weight/pack. [kg]	Packaging/pack. Paper/cardboard (approx.) [kg]
3	30000	50	0.01	0.2	2.60	0.60
3	30000	80	0.01	0.3	2.60	0.60

STEICO*multi nail*

Nail tight tape

Notes

Storage

- Store in a dry place, protected from dirt, sun and moisture

Ingredients

- Cell-closed polyethylene with synthetic rubber

Disposal

- dispose with normal construction waste, observe applicable legal guidelines

Cutting

- Sharp knife or other suitable cutting tool

Installation

- The substrate must be clean, dust-free and dry
- The one-sided self-adhesive tape is applied directly from the roll and fixed to the STEICO*multi UDB* underlayment in the area of the counter-battens.
- The counter-batten is then positioned directly over the applied tape and mechanically fastened (nails and screws).

Caption

other abbreviations

pal. Pallet
T&G Tongue and Groove
pac. Packaging
approx. Approximately
EUR Europe

STEICO*multi nail*

Nail tight tape

Compliance

Responsible for content
STEICO SE
Otto-Lilienthal-Ring 30
85622 Feldkirchen
Germany
Web: www.steico.com
Mail: info@steico.com

Version: 2
Date: 2026-07-03

Liability disclaimer

The contents of this document have been compiled with the utmost care. However, applicable standards and regulations can change. STEICO accepts no liability for the accuracy, completeness and current applicability of the standards and regulations presented. Always check compliance with standards and regulations and the suitability of our products for the specific intended use, and make any necessary adjustments during installation.

STEICO accepts no responsibility for the completeness, accuracy or quality of information provided by third parties.

Regional document validity: EU*

***Additional Validity Information**

The contents of this document have been prepared in consideration of European product standards and provide a general overview of component structures, construction methods, and installation. Local applicable regulations have not been considered.

The most recent version of this document applies. This version can be found at:
www.steico.com/tds_steicomulti_nail_eur_en